TECHNICAL DATA

The cookers come in two gas types: Natural gas and Universal LPG.

If the cooker is required to use LPG, a conversion kit can be obtained by contacting the Customer Care Centre.

Before installation check that the cooker is suitable for the gas supply.

To do this check the gas type on the carton sticker or on the data plate behind the bottom of the oven door. The following shows the supply and operating pressures for various gas supplies.

Operate pressure at appliance test point:

- 20mbar (Natural gas);
- 30mbar (LPG)

Burner Injector Sizes

| Injector Specification | | |
|------------------------|----------------------|------------------|
| UK (GB/IE) | ll2H3+ (20,28-30/37) | G30-28-30/G31-37 |

Burner Injector Sizes

| Aux Injector | | Semi-Rapid Injector x 2 | |
|--------------|-----------|-------------------------|-----------|
| NG 1.0kW | LPG 1.0kW | NG 2.0kW | LPG 2.0kW |
| 0.72 | 0.5 | 1.05 | 0.7 |

Burner Injector Sizes

| Rapid Injector | | Wok Injector | |
|----------------|-----------|--------------|-----------|
| NG 3.0kW | LPG 3.0kW | NG 4.0kW | LPG 4.0kW |
| 1.2 | 0.86 | 1.5 | 1 |



WARNING

This cooker must be earthed.

| Data badge | Lower part of the front frame |
|--------------------------|---|
| Appliance class | Class 1 - freestanding cooker |
| Electrical supply | 230 - 400V ~3N ~ 50 Hz |
| Load @ 230V | 15460W (Induction Unit 7400W) |
| Max. heat input | |
| Type of gas | This cooker can be used with Natural Gas and LPG. Please see data badge for your specified gas |
| | type. Can be converted from natural gas to LPG. Never attempt to convert an appliance unless the data badge states you can. |
| Gas category | Natural gas I2H Natural gas II2H3+ |
| Gas pressure settings | G20 Natural gas @ 20 mbar G30 Butane @ 28-30 mbar G31 Propane @ 37 mbar |
| Burner Aeration | Fixed |
| Grill | Electric |
| Hob | Burners have burner heads and caps which are removable for cleaning. Concealed electrodes to each burner. |

ENERGY DATA TABLE

Regulation (EU) 65/2014:

| Product Name: Stoves Richmond 90cm Dual Fuel | | |
|--|--------|--|
| Brand: | Stoves | |
| Size: | 90cm | |
| Number of cavities | 3 | |

Energy Efficiency

| Hob | | | |
|-------------------------|------------------|--|------------|
| Fuel Type | Induction | | |
| Number of cook zones | 5 Electric Zones | | |
| | Symbol | Value | |
| Energy Efficiency | | Cook zone | EEI (%) |
| per cook zone | EE gas burner | Zone 1: 215cm*3 192.7Wh/kg | 390cm/ 180 |
| | | Zone 2: 215cm*390cm/ 150 186.4Wh/kg | |
| | | Zone 3: 215cm*390cm/210 200Wh/kg | |
| | | Zone 4: 230/240cm 188.9Wh/kg | |
| | | Zone 5: 200/210cm 180Wh/kg | |
| | | Zone 6: 165cm/180cm 194Wh/kg | |
| | | | |
| | EE gas hob | All Induction Cook Zones 190.3Wh/kg | |

Energy Efficiency

| Cavity | Cavity 1 | Cavity 2 | Cavity 3 (if applicable) |
|---|-----------|-----------|--------------------------|
| Energy efficiency index | 91,3 | 92,5 | 93,3 |
| Energy efficiency class | A | Α | Α |
| Energy Consumption per cycle (conventional mode) | 0,63 kWh | 0,83 kWh | 0,01 kWh |
| Energy Consumption per cycle (fan-forced convection mode) | 0,01 kWh | 0,74 kWh | 0,83 kWh |
| Heat Source | Electric | Electric | Electric |
| Volume | 33 Litres | 60 Litres | 81 Litres |
| Energy consumption measured in accordance with BS EN 60350-1 | | | |