

F 31202 Ui-1

Built-under freezer, 82–88 cm niche height

Compactly designed with ComfortFrost for convenient freezing.



- Less frequent defrosting thanks to ComfortFrost



EAN: 4002516716211 / Material number: 12379980 / Old Material Number: 37312021GB

General information	
Model identifier	F 31202 Ui-1
Manufacturer material number	12379980
EAN number	4002516716211
Marketing class	Gold
Appliance category	
Freezer	•
Construction type	
Integrated appliance	•
Undercounter appliance	•
Door hinge	right
Convertible door hinging	•
Side-by-side enabled	•
User convenience	
ComfortFrost	•
Control system	
Operating concept	PicTronic
SuperFreeze	•
No. of temperature zones	1
Freezer/Freezer section	
Number of freezer drawers	3
Efficiency	
Energy efficiency class (A–G)	D
Annual energy consumption in kWh	141.00
Energy consumption in 24 h in kWh	0.38
Safety	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm	•
Optical temperature alarm	•
Power cut indication for freezer section	•
Technical data	
Niche width in mm min.	600
Niche width in mm max.	600
Niche height in mm min.	820
Niche height in mm max.	880
Niche depth in mm	550
Appliance width in mm	597
Appliance height in mm	820
Appliance depth in mm	550
Weight in kg	36.2
Door hinge technology	Fixed door
Max. door front weight – refrigerator, in kg	10
Max. door front weight – freezer, in kg	20
Climate range	SN-ST
4* freezer compartment in l	95
Total usable capacity in l	95
Storage time in case of fault in h	10

F 31202 Ui-1

Built-under freezer, 82–88 cm niche height

Compactly designed with ComfortFrost for convenient freezing.



EAN: 4002516716211 / Material number: 12379980 / Old Material Number: 37312021GB

Freezer capacity in kg/24 h	5.74
Acoustic airborne noise emission class (A–D)	B
Sound emissions in dB(A) re 1 pW	35
Current consumption (mA)	1300
Voltage in V	220-240
Fuse rating in A	13
Number of phases	1
Frequency in Hz	50-60
Length of supply lead in m	2.0
Replacing lamps	Service

Accessories included


Ice cube tray

•


F 31202 Ui-1

Built-under freezer, 82–88 cm niche height


Compactly designed with ComfortFrost for convenient freezing.



K31222Ui, K31222Ui-1, K31225Ui, K31252Ui,
K31252Ui-1, K31242UiF, K31242UiF-1, F31202Ui
(installation drawings)



K31222Ui, K31222Ui-1, K31225Ui, K31252Ui,
K31252Ui-1, K31242UiF, K31242UiF-1, F31202Ui, side
view (installation draw)



K31222Ui, K31222Ui-1, K31225Ui, K31252Ui,
K31252Ui-1, K31242UiF, K31242UiF-1 F31202Ui
(installation drawings)