

**Series 2, Built-in fridge-freezer with
freezer at bottom, 177.2 x 54.1 cm,
sliding hinge
KIN86NSE0G**



The spacious built-in fridge-freezer combination with No Frost provides optimal food storage and ice formation is no longer an issue.

- **No Frost:** never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- **Super Freeze function:** prevents the food in your freezer from defrosting.
- **Safety Glass Shelves:** safely store food in your fridge with stable, shatterproof glass shelves.
- **Door Open Alarm:** reminds you if the door is not closed properly.
- **Quiet appliances:** enjoy a calm and relaxing home.

Technical Data

Energy Efficiency Class¹: E
 Average annual energy consumption in kilowatt hour per year (kWh/a): 234 kWh/annum
 Sum of volume of frozen compartments: 76 l
 Sum of volume of chill compartments: 184 l
 Airborne acoustical noise emissions : 35 dB(A) re 1pW
 Airborne acoustical noise emission class: B
 Built-in / Free-standing: Built-in
 Door panel options: Not possible
 Height: 1772 mm
 Width of the appliance: 541 mm
 Depth: 548 mm
 Required niche size for installation (HxWxD): 1775x560x550 mm
 Net weight: 51.7 kg
 EAN code: 4242005431328
 Fuse protection: 10 A
 Door hinge: Right reversible
 Voltage: 220-240 V
 Frequency: 50 Hz
 Length electrical supply cord: 230 cm
 Number of compressors: 1
 Number of independent cooling systems: 1
 Interior ventilator: No
 Reversible Door Hinge: Yes
 Number of Adjustable Shelves in fridge compartment: 3
 Shelves for Bottles: No
 Frost free system: Freezer
 Installation typology: Integrated



¹ Scale of Energy Efficiency Classes from A to G

Series 2, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86NSE0G

The spacious built-in fridge-freezer combination with No Frost provides optimal food storage and ice formation is no longer an issue.

Highlights

- Dimensions: 1772x541x548 mm
- Energy Efficiency Class¹: E
- Never defrost again with Full NoFrost
- Sum of volume of chill compartments: 184 l
- Sum of volume of frozen compartments: 76 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW

General

- Colour of appliance: N/A
- Door hinge: Right reversible
- Hinge type: sliding hinge
- Automatic defrosting: No Frost (Freezer)
- Dispenser: N/A
- Type of control setting devices: Button
- Energy Efficiency Class²: E
- Average annual energy consumption in kilowatt hour per year (kWh/a): 234 kWh/annum
- Sum of volume of chill compartments: 184 l
- Sum of volume of frozen compartments: 76 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW
- Airborne acoustical noise emission class: B
- Climate Class: Extended temperate, Subtropical, Temperate
- Included accessories: 1 x ice cube tray

Size and weight

- Dimensions: 1772x541x548 mm
- Dimensions of the packed product (HxWxD): 1840x610x640 mm
- Minimum height for installation: 1775 mm
- Maximum height for installation: 1775 mm
- Minimum width for installation: 560 mm
- Maximum width for installation: 560 mm
- Depth for installation: 550 mm
- Net weight: 51.7 kg
- Gross weight: 56.1 kg
- Length electrical supply cord: 230 cm

Specific Features

- Silence
- Type of display: LED indication
- SuperCooling
- superFreezing

Cooling

- Number of shelves in fridge compartment: 4
- Number of Adjustable Shelves in fridge compartment: 3

- Number of Door Bins - Refrigerator: 3
- Light Wattage - Refrigerator: LED

Freezing

- Star Rating: 4
- Storage Period in Event of Power Failure (h): 10 h
- Freezing drawers (Stck): 3
- Number of freezing flaps (Stck): 0
- No. of ice cube trays: 1




Connectivity

¹ Scale of Energy Efficiency Classes from A to G


² Scale of Energy Efficiency Classes from A to G

**Series 2, Built-in fridge-freezer with
freezer at bottom, 177.2 x 54.1 cm,
sliding hinge
KIN86NSE0G**

measurements in mm



Measurements in mm



A: $\geq 560 \text{ mm}$ (recommended)
B: Socket

The specified unit door dimensions
are valid for a door gap of 4 mm.

measurements in mm