

Series 4, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86VSE0G



The spacious built-in fridge-freezer combination with VitaFresh XXL and NoFrost keeps food fresh for longer and prevent ice formation.

- **No Frost:** never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- **Quiet appliances:** enjoy a calm and relaxing home.
- **Cool Airflow:** ensures consistent air circulation and temperature.
- **LED lighting:** all your items in perfect view.
- **Super Freeze function:** prevents the food in your freezer from defrosting.

Technical Data

Energy Efficiency Class ¹ :	E
Average annual energy consumption in kilowatt hour per year (kWh/a):	234 kWh/annum
Sum of volume of frozen compartments:	76 l
Sum of volume of chill compartments:	184 l
Airborne acoustical noise emissions :	35 dB(A) re 1pW
Airborne acoustical noise emission class:	B
Built-in / Free-standing:	Built-in
Door panel options:	Not possible
Height:	1772 mm
Width of the appliance:	541 mm
Depth:	548 mm
Required niche size for installation (HxWxD):	1775x560x550 mm
Net weight:	52.7 kg
EAN code:	4242005270064
Fuse protection:	10 A
Door hinge:	Right reversible
Voltage:	220-240 V
Frequency:	50 Hz
Length electrical supply cord:	230 cm
Number of compressors:	1
Number of independent cooling systems:	1
Interior ventilator:	No
Reversible Door Hinge:	Yes
Number of Adjustable Shelves in fridge compartment:	2
Shelves for Bottles:	Yes
Frost free system:	Freezer
Installation typology:	Integrated



¹ Scale of Energy Efficiency Classes from A to G

Series 4, Built-in fridge-freezer with freezer at bottom, 177.2 x 54.1 cm, sliding hinge KIN86VSE0G

The spacious built-in fridge-freezer combination with VitaFresh XXL and NoFrost keeps food fresh for longer and prevent ice formation.

Highlights

- Dimensions: 1772x541x548 mm
- Energy Efficiency Class¹: E
- Never defrost again with Full NoFrost
- Sum of volume of chill compartments: 184 l
- Sum of volume of frozen compartments: 76 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW
- Freshness system: VitaFresh

General

- Colour of appliance: N/A
- Door hinge: Right reversible
- Hinge type: sliding hinge
- Automatic defrosting: No Frost (Freezer)
- Dispenser: N/A
- Type of control setting devices: Button
- Energy Efficiency Class²: E
- Average annual energy consumption in kilowatt hour per year (kWh/a): 234 kWh/annum
- Sum of volume of chill compartments: 184 l
- Sum of volume of frozen compartments: 76 l
- Airborne acoustical noise emissions : 35 dB(A) re 1pW
- Airborne acoustical noise emission class: B
- Climate Class: Extended temperate, Subtropical, Temperate
- Included accessories: 1 x ice cube tray

Size and weight

- Dimensions: 1772x541x548 mm
- Dimensions of the packed product (HxWxD): 1840x610x640 mm
- Minimum height for installation: 1775 mm
- Maximum height for installation: 1775 mm
- Minimum width for installation: 560 mm
- Maximum width for installation: 560 mm
- Depth for installation: 550 mm
- Net weight: 52.7 kg
- Gross weight: 57.0 kg
- Length electrical supply cord: 230 cm

Specific Features

- Freshness system: VitaFresh
- Silence
- Type of bottle rack: 1 bottle support grid
- Type of display: LED indication
- SuperCooling
- superFreezing

Cooling

- Number of shelves in fridge compartment: 3
- Number of Adjustable Shelves in fridge compartment: 2
- Number of Door Bins - Refrigerator: 3
- Light Wattage - Refrigerator: LED

Freezing

- Star Rating: 4
- Storage Period in Event of Power Failure (h): 10 h
- Freezing drawers (Stck): 3
- Number of freezing flaps (Stck): 0
- No. of ice cube trays: 1




Connectivity

¹ Scale of Energy Efficiency Classes from A to G


² Scale of Energy Efficiency Classes from A to G

**Series 4, Built-in fridge-freezer with
freezer at bottom, 177.2 x 54.1 cm,
sliding hinge
KIN86VSE0G**

measurements in mm



Measurements in mm



A: $\geq 560 \text{ mm}$ (recommended)
B: Socket

The specified unit door dimensions
are valid for a door gap of 4 mm.

measurements in mm