

# N 30, FULLY-INTEGRATED DISHWASHER, 60 CM S153HTX02G













#### Z7863X1 Rack insert for stemware dishwasher Z7865X6 Attachment door, brushed steel Z7870X0 Accessories dishwasher Z7871X0 Silver polishing cassette Z7880X0 Accessories dishwashers Z788BI00 Connection rail for divided furniture Z7710X0 inlet and outlet hose extention decorative strips stainless steel 81,5cm Z780BI02

The dishwasher indicates when it's running and offers a favourite button for customised settings.

- $\sqrt{\,}$  Info Light A light projected onto the floor shows you that the dishwasher is in operation.
- $\sqrt{\mbox{ Chef }70\mbox{°C}}$  The pro programme that vanishes stubborn residues.
- $\sqrt{\,}$  Extra Dry: for difficult-to-dry loads select the extra drying option
- $\sqrt{\mbox{ Favourite}}$  Easily access your favourite settings or programmes.
- $\sqrt{}$  Home Connect Add your dishwasher to your home network and enjoy the infinite possibilities of connected services

| Energy Efficiency Class:                             | e:84 kWh        |
|--|-----------------|
| Programme duration:                                  | 4·30 h          |
| Airborne acoustical noise emissions :                |                 |
| Airborne acoustical noise emission class:            | ` ' '           |
| Built-in / Free-standing:                            |                 |
| Height of removable worktop:                         |                 |
| Dimensions of the product (HxWxD):                   |                 |
| Min. required niche size for installation (HxWxD): 8 |                 |
| 550 mm   |                 |
| Depth with open door 90 degree:                      | 1150 mm         |
| Adjustable feet:                                     |                 |
| Maximum adjustability feet:                          |                 |
| Adjustable plinth: Both horizo                       |                 |
| Net weight:  |                 |
| Gross weight:  | 32.2 kg         |
| Connection Rating:                                   | 2400 W          |
| Fuse protection:                                     | 10 A            |
| Voltage:   | 220-240 V       |
| Frequency:   |                 |
| Length electrical supply cord:                       | 175.0 cm        |
| Plug type:   | GB plug         |
| Length inlet hose:                                   | 165 cm          |
| Length outlet hose:                                  | 190 cm          |
| EAN code:  | 4242004282853   |
| Installation typology:                               | Full-integrated |
|  |                 |





## N 30, FULLY-INTEGRATED DISHWASHER, 60 CM S153HTX02G

#### Performance

- Energy Efficiency Class<sup>1</sup>: D
- Energy<sup>2</sup> / Water<sup>3</sup>: 84 kWh / 9 litres
- Capacity: 13 place settings
- Programme duration<sup>4</sup>: 4:30 (h:min)
- Noise level: 46 dB(A) re 1 pW
- Noise Efficiency Class: C

#### Programmes / functions

- 5 programmes: Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Power Zone, Extra Speed
- Add-On functions via Home Connect app: Extra Hygiene, Silence on Demand
- Easy Clean Programme

### Flexible design elements

- Normal baskets
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- Knife rack in top basket
- Cutlery basket in lower rack
- Upper rack cup shelf
- Glass holder in top basket

#### Innovations and technology

- Home Connect Wi Fi enabled, for dishwasher control
- Heat exchanger Hygienic and efficient drying
- DosageAssist detergent dispenser
- Efficient SilentDrive BLDC motor
- DetergentAware
- AquaSensor®
- Neff Sparkle glass care system

#### Design features

- Push button top controls
- InfoLight (Red) Light projection on the floor
- Time delay (3, 6 or 9 hours)
- Acoustic end of cycle indicator
- Aqua Stop: Neff's warranty in case of water damage throughout the lifetime of the appliance.\*
- Self-cleaning filter system with 3 piece corrugated filter
- steam protection plate
- Stainless steel/Polinox interior
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- <sup>1</sup> Scale of Energy Efficiency Classes from A to G
- <sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)
- <sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)
- $^4$  Duration of programme Eco 50  $^{\circ}\text{C}$



# N 30, FULLY-INTEGRATED DISHWASHER, 60 CM S153HTX02G

