

## Series 6, Free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS6ZCI00G



## PerfectDry dishwashers for best drying results with flexible and practical loading solutions for all your different styles of dishes.

- **Home Connect:** home appliances with smart connectivity for an easier everyday life.
- **PerfectDry:** perfect drying results with low energy consumption, even for hard-to-dry items.
- **Flex baskets:** flexible and practical solution for easy loading.
- **VarioDrawer:** 3rd level loading for cutlery and smaller kitchen utensils.
- **Rackmatic:** even more adjustment options and thus maximum flexibility.

SGZ0IC00	Small Item Clip for upper rack
SGZ1010	inlet and outlet hose extention
SMZ2014	Rack insert for stemware dishwasher
SMZ5001	Baby care kit
SMZ5002	Silver polishing cassette
SMZ5100	Vario-cutlery basket
SMZ5300	GlassSecure Tray

Energy Efficiency Class: .....C  
 Energy Consumption for 100 cycles Eco Programme: ..... 75 kWh  
 Maximum number of place settings: ..... 14  
 The water consumption of the eco programme in liters per cycle: 9.5 l  
 Programme duration: ..... 3:55 h  
 Airborne acoustical noise emissions : .....44 dB(A) re 1pW  
 Airborne acoustical noise emission class: .....B  
 Built-in / Free-standing: ..... Freestanding  
 Height of removable worktop: .....30 mm  
 Dimensions of the product (HxWxD): .....845 x 600 x 600 mm  
 Depth with open door 90 degree: ..... 1155 mm  
 Adjustable feet: ..... Yes - all  
 Maximum adjustability feet: ..... 20 mm  
 Adjustable plinth: ..... No  
 Net weight: ..... 54.6 kg  
 Gross weight: ..... 56.5 kg  
 Connection rating: ..... 2400 W  
 Fuse protection: .....10 A  
 Voltage: ..... 220-240 V  
 Frequency: ..... 50; 60 Hz  
 Length electrical supply cord: ..... 175.0 cm  
 Plug type: .....GB plug  
 Length inlet hose: ..... 165 cm  
 Length outlet hose: ..... 190 cm  
 EAN code: .....4242005270279  
 Installation typology: .....Free-standing with built under possibility



4 242005 270279

## Series 6, Free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS6ZCI00G

**PerfectDry dishwashers for best drying results with flexible and practical loading solutions for all your different styles of dishes.**

<sup>1</sup> Scale of Energy Efficiency Classes from A to G

<sup>2</sup> Energy consumption in kWh per 100 cycles (in programme Eco 50 °C)

<sup>3</sup> Water consumption in litres per cycle (in programme Eco 50 °C)

<sup>4</sup> Duration of programme Eco 50 °C

### Performance

- Energy Efficiency Class<sup>1</sup>: C
- Energy<sup>2</sup> / Water<sup>3</sup>: 75 kWh / 9.5 litres
- Capacity: 14 place settings
- Programme duration<sup>4</sup>: 3:55 (h:min)
- Noise level: 44 dB(A) re 1 pW
- Noise Efficiency Class: B
- Noise level (silence programme): 42 dB(A) re 1 pW

### Programmes / functions

- 6 programmes: Eco 50 °C, Auto 45-65 °C, Intensive 70 °C, Express 60 °C, Silence 50 °C, Favourite
- Default favourite programme: Pre-Rinse
- 4 special options: Remote Start, Extra Dry, Half Load, SpeedPerfect+
- Machine Care
- Silence on Demand (via app)

### Flexible design elements

- Flex basket system
- VarioDrawer - loading of cutlery on 3rd level
- 3 stage Rackmatic height-adjustable top basket
- Low friction wheels on bottom basket
- Rack Stopper to prevent derailing of bottom basket
- 2 foldable plate racks in top basket
- 2 foldable plate racks in bottom basket
- Upper rack cup shelf
- Lower rack cup shelf

### Innovations and technology


- Home Connect ready on WLAN
- Zeolith - Energy efficient and perfect drying results
- Heat exchanger.
- DosageAssist detergent dispenser
- EcoSilence BLDC drive
- Automatic detergent detection
- AquaSensor III
- AquaMix - Glass protection system

### Design features

- Time delay (3, 6 or 24 hours)
- Remaining programme time indicator (min)
- Leak protection system
- Tamperproof controls
- Self-cleaning filter system with 3 piece corrugated filter
- Large item spray head
- Stainless steel interior
- Dimensions (HxWxD): 84.5 x 60 x 60cm

## Series 6, Free-standing dishwasher, 60 cm, Brushed steel anti-fingerprint SMS6ZCI00G

measurements in mm



⏏ socket  
( ) values with extension kit