

N 50, BUILT-IN DOUBLE OVEN U1ACE2HG0B





Optional accessories

Z11AB15A0	Baking tray, non-stick ceramic coated
Z11AU15A0	Universal pan, non-stick ceramic coate
Z11CR10X0	Baking and roasting grid (standard)
Z11GT10X3	Glass roasting dish, 5,4l
Z11TI15X0	Cliprails
Z12CB10A0	Baking tray, enamelled
Z12CP10A0	Pizza pan, enamelled
Z12CU10A0	Multipurpose pan, enamelled
Z13CR10X0	Baking and roasting grid (steam)
Z1608BX0	Full ext rails, level independent
Z1655CA0	Air Fry & Grill tray
Z1913X0	Baking Stone

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\mbox{CircoTherm}^{\otimes}}$ Smart hot-air solution that lets you bake on up to three levels at once.
- $\sqrt{}$ EasyClean this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- $\sqrt{\,}$ LCD-Display simple, straightforward with large characters for clear reading
- $\sqrt{\,}$ Cliprails Place dishes exactly where you want them in your oven

Features

Technical Data
Built-in / Free-standing:
Integrated Cleaning system:
Dimensions:
Dimensions of the packed product (HxWxD): . 960 x 660 x 690 mm
Control Panel Material:
Door Material:
Net weight:
Usable volume of cavity:
Cooking method: Full width grill, Hotair gentle, Hot Air, Conventional heat, Hot air grilling
Oven control: mechanical
Number of interior lights:
EAN code:
Energy efficiency rating:
Energy consumption per cycle conventional (2010/30/EC): 1.02
kWh/cycle
Energy consumption per cycle forced air convection
(2010/30/EC):
Energy efficiency class (2010/30/EC) - cavity 2:
Energy consumption per cycle conventional - cavity 2
(2010/30/EC):
Energy efficiency index (2010/30/EC):95.3 %
Energy efficiency index cavity 2 (2010/30/EC):120.3 %
Connection Rating:
Fuse protection:
Voltage:
Frequency:
Plug type: no plug
(electrical connection by electrician), fixed connection (electrical
connection by electrician)
Included accessories cavity 1:3 x combination grid, 1 x universal
pan





N 50, BUILT-IN DOUBLE OVEN U1ACE2HGOB

Features

Features

- Temperature range 50 °C 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

- 4 shelf positions
- 1 Clip rail, Stop function

Design

- Graphite-Grey Edition
- Elongated designed dials, Retractable control dials, Bevelled oval controls
- Cavity inner surface: enamel anthracite

Cleaning

- EasyClean
- Full glass inner door

Programmes/functions

- LCD Display (White)
- Electronic clock timer
- Heating up indicator
- Automatic start
- Bar handle
- Manual rapid heating up
- Interior halogen light
- Cooling fan
- Stainless-steel fan

Accessories

• 3 x combination grid, 1 x universal pan

Features

- Heat reflective glass
- Control panel lock

Technical information

- Nominal voltage: 220 240 V
- Total connected load electric: 5.9 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A
- \bullet Energy consumption per cycle in conventional mode:1.02 kWh
- \bullet Energy consumption per cycle in fan-forced convection mode:0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume 71 litre

Performance/technical information

- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- • Niche dimension (hxwxd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.



N 50, BUILT-IN DOUBLE OVEN U1ACE2HG0B

1 8

550

